EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	662	455/13.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 15:48
S2	13	S1 and encapsulat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 15:50
S3	1065	455/11.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 15:53
S4	33	S3 and encapsulat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 15:53
S5	0	("2008/0132164").URPN.	USPAT	AND	ON	2008/12/02 15:53
S6	455	(different or multiple) near2 (system or network) with wired	USPAT	AND	ON	2008/12/02 16:10
S7	51	(different or multiple) near2 (system or network) with (wired near2 connect$4)	USPAT	AND	ON	2008/12/02 16:11
S8	0	"10586146"	USPAT	AND	ON	2008/12/02 16:28
S9	1	"10586146"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:28
S10	0	(repeater near3 wired) with (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:34
S11	0	(repeater near3 wired) same (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:34
S12	0	((repeater or relay) near3 wired) same (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:34

S13	80	((repeater or relay) with wired) same (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:35
S14	45	((repeater or relay) with wired) with (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:35
S15	0	((repeater) same wired) with (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:42
S16	0	((repeater) and wired) with (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:42
S17	48	((repeater) and wired) same (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:42
S18	13	((repeater) same wired) same (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 16:42
S19	29	((repeater or relay) near2 wired) and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 15:58
S20	11	S19 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 15:59
S21	69	((different or multiple) near2 (system or network or protocol) with wired) and (fdma or gsm)	USPAT	AND	ON	2008/12/09 16:15
S22	60	S21 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:16
S23	1873	455/552.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:24

S24	439	S23 and wired	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:24
S25	231	S24 and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:24
S26	132	S25 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:25
S27	4	"2007019373"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:30
S28	4	"2008030476"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:31
S29	8	US-20080064391-$.DID. OR US-4554261-$.DID. OR US-20070206580-$.DID. OR US-20040218572-$.DID. OR US-20050083940-$.DID. OR US-3703952-$.DID. OR US-20060211448-$.DID. OR US-4555531-$.DID.	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/09 16:35
S30	29	((call near2 forwarding) near3 ((different or multiple) near2 (system or network or protocol)) and (fdma or gsm))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:40
S31	150511	"29" and encapsulat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:40
S32	1	S30 and encapsulat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 16:41
S33	9	("20010005372" | "20020019246" | "20030169729" | "5517564" | "6185288" | "6320952" | "6765912" | "7027433" | "7027577").PN. OR ("7426265").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/09 16:54

S34	9	(different or multiple) near2 (system or network or protocol) with ((wire or line or physical) near2 (connect$5 or line or wir $3)) same (call near2 forward $3)	USPAT	AND	ON	2008/12/09 17:12
S35	17	(different or multiple) near2 (system or network or protocol) with ((wire or line or physical) near2 (connect$5 or line or wir $3)) same (call near2 forward $3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 17:13
S36	9	S34 and (@ad< = "20040116" or @pd< = "20040116" or @rlad< = "20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 17:15
S37	12	S35 and (@ad< = "20040116" or @pd< = "20040116" or @rlad< = "20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 17:15
S38	10	"6615037"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 17:20
S39	3	"20060111116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/09 17:38
S40	27	("20040023655" | "20040219935" | "20040257273" | "5841854" | "5862481" | "5867788" | "6134441" | "6138007" | "6208870" | "6298232" | "6308075" | "6320943" | "6338140" | "6356529" | "6363431" | "6421674" | "6453174" | "6493551" | "6519242" | "6615037" | "6662017" | "6745041" | "6771950" | "6839022" | "6975862" | "7031438").PN. OR ("7190959").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/09 17:39
S41	1	"20030003930"	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/09 17:44
S42	213	palmer.inv. and (system signaling)	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/09 17:52
S43	43	palmer.inv. and (system near2 signaling)	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/09 17:52

S44	24	US-192004D-$.DID. OR US-1322198-$.DID. OR US-6839022-$.DID. OR US-20040219935-$.DID. OR US-6771950-$.DID. OR US-6745041-$.DID. OR US-20040023655-$.DID. OR US-6662017-$.DID. OR US-6615037-$.DID. OR US-6519242-$.DID. OR US-6493551-$.DID. OR US-6453174-$.DID. OR US-6421674-$.DID. OR US-6363431-$.DID. OR US-6356529-$.DID. OR US-6338140-$.DID. OR US-6308075-$.DID. OR US-6298232-$.DID. OR US-6208870-$.DID. OR US-6138007-$.DID. OR US-6134441-$.DID. OR US-5867788-$.DID. OR US-5862481-$.DID. OR US-5841854-$.DID.	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/09 17:56
S45	695	379/211.02.ccls.	USPAT	AND	ON	2008/12/10 09:57
S46	28	S45 and ((different or multiple) near2 (system or network or protocol)) and (fdma or gsm)	USPAT	AND	ON	2008/12/10 09:58
S47	25	S46 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 09:59
S48	9	(call near2 forwarding) same (repeater or relay) same (fdma or gsm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:07
S49	6	S48 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:07
S50	39	S45 and ((different or multiple) near4 (system or network or protocol)) and (fdma or gsm)	USPAT	AND	ON	2008/12/10 10:11
S51	35	S50 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:11

S52	10	repeater with (wired or wireline or line) with (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:16
S53	7	S52 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:16
S54	58	("3480961" | "3729740" | "4154978" | "4335385" | "4400703" | "4509199" | "4577327" | "4704733" | "4754495" | "4849963" | "5010583" | "5095528" | "5115514" | "5187806" | "5200955" | "5227742" | "5321736" | "5377255" | "5519691").PN. OR ("5812933").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/10 10:20
S55	367	(call near2 (rout$3 or forward$3)) same encapsulat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:38
S56	80	((call near2 (rout$3 or forward$3)) same encapsulat$3) and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:39
S57	50	S56 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 10:39
S58	88	((call near2 (rout$3 or forward$3 or flow)) same (sync$15)) and identifier and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 11:00
S59	71	S58 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 11:01
S60	88	((call near2 (rout$3 or forward$3 or flow)) same (sync$15)) and identifier and control and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 11:13
S61	1	S45 and (identifier same control same sync$15)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 11:14

S62	169	call with (sync$15 near3 (pattern or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 11:18
S63	10	S62 and (((different or multiple) with (system or network or protocol)) and (fdma or gsm))	USPAT	AND	ON	2008/12/10 11:18
S64	9	S63 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 11:19
S65	0	call near3 ((different or multiple) near2 (protocol)) and (fdma or gsm) and (sync near2 (pattern or path))	USPAT	AND	ON	2008/12/10 11:30
S66	0	call with ((different or multiple) near2 (protocol)) and (fdma or gsm) and (sync near2 (pattern or path))	USPAT	AND	ON	2008/12/10 11:31
S67	0	call same ((different or multiple) near2 (protocol)) and (fdma or gsm) and (sync near2 (pattern or path))	USPAT	AND	ON	2008/12/10 11:31
S68	9	call same ((different or multiple) near2 (protocol)) and (sync near2 (pattern or path))	USPAT	AND	ON	2008/12/10 11:31
S69	0	S68 and (((different or multiple) with (system or network or protocol)) and (fdma or gsm))	USPAT	AND	ON	2008/12/10 11:31
S70	9	S68 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 11:32
S71	186	(call near2 setup) with ((different or multiple) near2 (protocol or network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 13:53
S72	142	S71 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 13:53
S73	35	"6240449"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:08

S74	13	("20040024901" | "5867494" | "6154463" | "6195705" | "6201805" | "6229804" | "6240449" | "6396840" | "6611516" | "6674734" | "6785223" | "6788660" | "6853851").PN. OR ("6967941"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/10 15:17
S75	0	(encapsulat$3 near2 (call near2 (signal or message or information))) same ((bts or ap or repeater or relay or bss or bs) near2 (id or information or identifier))	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/10 15:30
S76	59	((encapsulat$3 or includ$3 or header) near (call near2 (signal or message or information))) same ((bts or ap or repeater or relay or bss or bs) near2 (id or information or identifier))	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/10 15:32
S77	45	S76 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:33
S78	16	"5734700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:48
S79	15892	communication near2 ((different or multiple) near2 (protocol or network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:53
S80	444	S79 and fdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:54
S81	372	S80 and identif$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:54
S82	218	S81 and sync$15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:54
S83	152	S82 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:56

S84	152	S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 15:56
S85	696	(different near2 (base$1station or (base near2 station) or bts or (access adj point)) with (connected or wired))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 16:00
S86	87	(different near2 (base$1station or (base near2 station) or bts or (access adj point)) with (wired))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 16:01
S87	47	S86 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 16:01
S88	101	455/552.1.ccls. and (call near2 (flow or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 16:12
S89	75	S88 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 16:12
S90	101	455/552.1.ccls. and (call near2 (flow or path or proccess))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/10 16:13
S91	852	455/553.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 10:13
S92	672	S91 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 10:13
S93	296	S92 and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 10:14
S94	210	(dual near2 mode) near2 (site or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:04

S95	67	S94 and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:04
S96	37	S95 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:04
S97	3258	repeater and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:23
S98	885	repeater same (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:23
S99	215	repeater with (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:23
S100	38	repeater near2 (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:23
S101	26	S100 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:23
S102	177	S99 not S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:47
S103	105	S102 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 11:47
S104	93	(single$1mode or (single adj mode)) with ((different or dual) near2 (protocol or system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:15
S105	64	S104 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:15

S106	55	relay near2 (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:18
S107	29	S106 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:18
S108	10	("20020110112" | "20020167943" | "5896369" | "5946629" | "6085100" | "6108559" | "6292669" | "6507589").PN. OR ("6959194"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/22 13:32
S109	223	370/319.ccls.	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/22 13:35
S110	181	S109 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:35
S111	27	(new adj (protocol or system)) with ((exist$3 or old) near2 (mobile or terminal or pda or ue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:45
S112	19	S111 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:46
S113	14	(tdma near2 (receiv$3 or accept $3 or establish$3)) same call same (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:52
S114	9	S113 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 13:52
S115	1272	system near3 ((dual or different or two) adj protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:22
S116	156	(system near3 ((dual or different or two) adj protocol)). ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:22

S117	125	S116 and (@ad< ="20040116" or @pd< ="20040116" or @rlad< ="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:23
S118	0	call near3 encapsulate near3 repeater and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:31
S119	0	call near6 encapsulate near6 repeater and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:31
S120	0	call near4 encapsulate near4 repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:31
S121	0	call near4 encapsulat3 near4 repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:32
S122	0	call near4 encapsulat3 near4 (repeater or relay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:32
S123	0	encapsulat3 near4 (repeater or relay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:32
S124	0	encapsulat3 with (repeater or relay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:32
S125	0	encapsulat3 and (repeater or relay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:33
S126	0	encapsulat3 and (gsm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:36
S127	632	encapsulat$3 near4 (repeater or relay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:36

S128	0	call near4 encapsulat$3 near4 repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:37
S129	0	call near6 encapsulat$3 near6 repeater and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:37
S130	378	encapsulat$3 near2 (repeater or relay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:38
S131	19	S130 and gsm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:38
S132	17	S131 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:39
S133	3	"20010031624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:44
S134	1124	(inter$1system or (inter adj system)) and (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:55
S135	235	(inter$1system or (inter adj system)) with (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:55
S136	180	S135 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 14:56
S137	14	(intra$1system or (intra adj system)) with (gsm or fdma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 15:00
S138	10	S137 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 15:09

S139	59	repeater with FDMA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 15:41
S140	46	S139 and (@ad<="20040116" or @pd<="20040116" or @rlad<="20040116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 15:41
S141	1	"11469794"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 15:59
S142	4	("20050177385" | "20050177385" | "6175831" | "6175831").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/22 16:18
S143	3	"6931232"	USPAT	AND	ON	2008/12/23 09:57
S144	5	"6931232"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/23 09:57

12/23/2008 11:46:40 AM
C:\Documents and Settings\oobayanju\My Documents\EAST\Workspaces\10586146_Amended.wsp